Author index to Volume 48

Abe, K. see Yoshida, K.

Achiron, R., Rotstein, Z., Lipitz, S., Karasik, A. & Seidman, D.S. The development of the foetal thyroid: *In utero* ultrasonographic measurements 259

Adami, S., Zamberlan, N., Castello, R., Tosi, F., Gatti, D. & Moghetti, P. Effect of hyperandrogenism and menstrual cycle abnormalities on bone mass and bone turnover in young women 169

Adams, J.E. see Rahim, A.

Ahlman, H. see Jansson, J.-O.

Aizawa, Y. see Yoshida, K.

Åkerström, G. see Sköldberg, F.

Alastrué, A. see Cuatrecasas, G.

Alemany, M. see Cuatrecasas, G.

Alevizaki, C. see Tsagarakis, S.

Alexander, L. see Vanderpump, M.P.J. Ali, A. see Terzolo, M.

Al-Saadi, N., Diederich, S. & Oelkers, W. A very high dose dexamethasone suppression test for differential diagnosis of Cushing's syndrome 45

Al-Shoumer, K.A.S. see Kousta, E.

Al-Shoumer, K.A.S., Gray, R., Anyaoku, V., Hughes, C., Beshyah, S., Richmond, W. & Johnston, D.G. Effects of four years' treatment with biosynthetic human growth hormone (GH) on glucose homeostatis, insulin secretion and lipid metabolism in GH-deficient adults 795

Ammari, F. see Hanna, F.W.F.

Anderson, R.A., Groome, N.P. & Baird, D.T. Inhibin A and inhibin B in women with polycystic ovarian syndrome during treatment with FSH to induce mono-ovulation 577

Andreas, J see Kann, P.

Angeli, A. see Terzolo, M.

Anin, S. see Klinger, B.

Anyaoku, V. see Al-Shoumer, K.A.S.

Appleton, D. see Vanderpump, M.P.J.

Arsac, L. see Duclos, M.

Asscheman, H. see Van Kesteren, P.

Astorga, R. see Leal-Cerro, A.

Attanasio, A.M.F. see Janssen, J.A.M.J.L.

Avey, C.J. see Rumsby, G.

Baird, D.T. see Anderson, R.A.

Baker, A.J. see Roberts, G.A.

Baldet, L. see Pujol, P.

Barreca, A. see Maghnie, M.

Bates, A.S. see Gittoes, N.J.L.

Bengtsson, B.-Å. see Jansson, J.-O.

Bengtsson, B.Å. see Wirén, L.

Beshyah, S. see Al-Shoumer, K.A.S.

Besser, G.M. see Johnston, L.B.

Besser, G.M. see Rodríguez-Arnao, J.

Besser, G.M. see Romer, T.E.

Bettio, D. see Grugni, G.

Bevan, J.S. see Evans, P.M.S.

Beyer, J. see Kann, P.

Bhatia, E., Jain, S.K., Gupta, R.K. & Pandey, R. Tuberculous Addison's disease: lack of normalization of adrenocortical function after antituberculous chemotherapy 355

Bigorgne, J.C. see Modigliani, E.

Birkhäuser, M.H. see Hänggi, W.

Biscotti, D. see Pasquali, R.

Bloom, S.R. see Roberts, G.A.

Blum, W.F. see Janssen, J.A.M.J.L.

Boegner, C. see Pujol, P.

Bondanini, F. see Minniti, G.

Bonetti, G. see Martina, V

Boneu, A. see Modigliani, E.

Borretta, G. see Terzolo, M.

Bradley, D.M. see Law, W.Y.

Brancaleoni, V. see Martina, V. Brasel, J.A. see Moromisato, D.Y.

Brennan, B.M.D., Rahim, A., Mackie, E.M., Eden, O.B. & Shalet, S.M. Growth hormone status in adults treated for acute lymphoblastic leukaemia in childhood 777

Bringer, J. see Pujol, P.

Brix, T.H., Christensen, K., Holm, N.V., Harvald, B. & Hegedüs, L. Rapid communication A population-based study of Graves' disease in Danish twins 397

Brook, C.G.D. see Raza, J.

Brossard, J.H. see D'Amour, P.

Brown, E.M. see Schwarz, P.

Bruno, G.A. see Martina, V

Buchanan, K.D. see Shi, W.

Bullivant, B. see Gittoes, N.J.L.

Burger, H.G., Cahir, N., Robertson, D.M., Groome, N.P., Dudley, E., Green, A. & Dennerstein, L. Serum inhibins A and B fall differentially as FSH rises in

perimenopausal women 809

Cahir, N. see Burger, H.G.

Camacho-Hübner, C. see Cotterill, A.M.

Camanni, F. see Martina, V

Campos, J.M. see Modigliani, E.

Cañas, R. see Pomares, F.J.

Cardei, S. see Longobardi, S.

Carella, C. see Paolisso, G.

Casanueva, F. see Popovic, V.

Casanueva, F.F. see Leal-Cerro, A.

Casimirri, F. see Pasquali, R.

Cassone, R. see Minniti, G.

Castello, R. see Adami, S.

Centanni, M. see Letizia, C.

Cerci, S. see Letizia, C.

Cesario, F. see Terzolo, M.

Cha, I. see Lo, J.C.

Cheung, P.T. see Low, L.C.K.

Chiumello, G. see Pellini, C.

Chrisoulidou, A. see Kousta, E.

Christensen, K. see Brix, T.H.

Christiansen, J.S. see Fisker, S.

Christiansen, J.S. see Jørgensen, J.O.L.

Cisternino, M., Dondi, E., Martinetti, M., Lorini, R., Salvaneschi, L., Cuccia, M. & Severi, F. Exaggerated 17-hydroxyprogesterone response to short-term adrenal stimulation and evidence for CYP21B gene point mutations in true precocious puberty 555

Clark, A.J.L. Commentary Receptor hypersensitivity: a new phenomenon? 135

Clark, O.H. see Loh, K.C.

Clayton, R.N. see Gittoes, N.J.L.

Clayton, R.N. see Vanderpump, M.P.J.

Cloos, C., Wahl, P., Hasslacher, C., Traber, L., Kistner, M., Jurkuhn, K. & Schmidt-Gayk, H. Urinary glycosylated, free and total pyridinoline and free and total deoxypyridinoline in diabetes mellitus 317

. Cohen, R. see Modigliani, E.

Colao, A. see Di Somma, C.

Colao, A. see Longobardi, S.

Compston, J.E. Commentary Selective oestrogen receptor modulators: potential therapeutic applications 389

Constantopoulos, A. see Schulpis, K.H.

Conte-Devolx, B. see Modigliani, E.

Conway, G.S. see Rumsby, G.

Cooper, D.M. see Moromisato, D.Y.

Coppack, S.W. see Pinkney, J.H.

Corcuff, B. see Modigliani, E.

Corcuff, J.-B. see Duclos, M.

Corcuff, J.B., Tabarin, A., Rashedi, M., Duclos, M., Roger, P. & Ducassou, D. Overnight urinary free cortisol determination: a screening test for the diagnosis of Cushing's syndrome 503

Cordwell, D.P. see Grebe, S.K.G.

Cotterill, A.M., Camacho-Hübner, C., Duquesnoy, P. & Savage, M.O. Changes in serum IGF-I and IGFBP-3 concentrations during the IGF-I generation test

performed prospectively in children with short stature 719

Cowles, E. see Moromisato, D.Y.

Cuatrecasas, G., Granada, M.L., Formiguera, X., Rull, M., Alastrué, A., Remesar, X., Alemany, M. & Foz, M. Increased leptin production in vivo and insulin cleavage by the omental adipose tissue of morbidly obese patients 181

Cuccia, M. see Cisternino, M.

Cuevas-Covarrubias, S. see Maya-Núñez, G.

Cuocolo, A. see Longobardi, S.

Czarnocka, B., Szabolcs, I., Pastuszko, D., Feldkamp, J., Dohán, O., Podoba, J. & Wenzel, B. In old age the majority of thyroid peroxidase autoantibodies are directed to a single TPO domain irrespective of thyroid function and iodine intake 803

D'Amour, P., Weisnagel, J., Brossard, J.H., Ste-Marie, L.G., Rousseau, L. & Lepage, R. Functional evidence for two types of parathyroid adenoma 593

D'Onofrio, F. see Paolisso, G.

Damjanovic, S. see Popovic, V.

Daurès, J.P. see Pujol, P.

Davies, P.H., Stewart, S.E., Lancranjan, I., Sheppard, M.C. & Stewart, P.M. Long-term therapy with long-acting octreotide (Sandostatin-LAR®) for the management of acromegaly 311

De Angelis, R. see Pellini, C.

De Giacomo, C. see Maghnie, M.

De Jong, F.H. see Janssen, J.A.M.J.L.

De Jong, M. see Hennemann, G.

De Medici, C. see Grugni, G.

De Toma, G. see Letizia, C.

Delahunt, J.W. see Grebe, S.K.G.

Dennerstein, L. see Burger, H.G.

Di Natale, B. see Pellini, C.

Di Rella, F. see Longobardi, S.

Di Somma, C., Colao, A., Pivonello, R., Klain, M., Faggiano, A., Tripodi, F.S., Merola, B., Salvatore, M. & Lombardi, G. Effectiveness of chronic treatment with alendronate in the osteoporosis of Cushing's disease 655

Diederich, S. see Al-Saadi, N.

Dieguez, C. see Leal-Cerro, A.

Dieguez, C. see Popovic, V.

Dinan, T. see Scott, L.

Djurovic, M. see Popovic, V.

Docter, R. see Hennemann, G.

Dohán, O. see Czarnocka, B.

Dondi, E. see Cisternino, M.

Ducassou, D. see Corcuff, J.B.

Duclos, M. see Corcuff, J.B.

^{© 1998} Blackwell Science Ltd, Clinical Endocrinology, 48, 821-830

Duclos, M., Corcuff, J.-B., Arsac, L., Moreau-Gaudry, F., Rashedi, M., Roger, P., Tabarin, A. & Manier, G. Corticotroph axis sensitivity after exercise in endurancetrained athletes 493

Dudley, E. see Burger, H.G.

Duh, Q.Y. see Loh, K.C.

Dumontier, P. see Modigliani, E.

Duquesnoy, P. see Cotterill, A.M.

Ebbesen, E.N. see Støving, R.K.

Eden, O.B. see Brennan, B.M.D.

Endo, H. see Yoshimoto, K.

Eshet, R. see Klinger, B.

Evans, P.M.S., Webster, J., Evans, W.D., Bevan, J.S. & Scanlon, M.F. Radioiodine treatment in unsuspected pregnancy 281

Evans, W.D. see Evans, P.M.S.

Evans, W.D. see Hanna, F.W.F.

Everts, M.E. see Hennemann, G.

Faber, J., Jensen, I.W., Petersen, L., Nygaard, B., Hegedüs, L. & Siersbaek-Nielsen, K. Normalization of serum thyrotrophin by means of radioiodine treatment in subclinical hyperthyroidism: effect on bone loss in postmenopausal women 285

Fagerström, J.N. see Grebe, S.K.G.

Faggiano, A. see Di Somma, C.

Farquharson, R. see Lesse, G.P.

Feek, C.M. see Grebe, S.K.G.

Feldkamp, J. see Czarnocka, B.

Ferguson, R. see Shi, W.

Fisker, S. see Jørgensen, J.O.L.

Fisker, S., Jørgensen, J.O.L., Ørskov, H. & Christiansen, J.S.

L-arginine and insulin-tolerance tests in the diagnosis of adult growth hormone deficiency: influence of confounding factors 109

Ford, H.C. see Grebe, S.K.G.

Formiguera, X. see Cuatrecasas, G.

Forsling, M.L. see Kostoglou-Athanassiou, I.

Foz, M. see Cuatrecasas, G.

Franklyn, J.A. see Gittoes, N.J.L.

Fraser, W.D. see Lesse, G.P.

French, J.M. see Vanderpump, M.P.J.

Frohman, L.A. see Jansson, J.-O.

Fukasawa, N. see Iitaka, M.

Fukazawa, H. see Yoshida, K.

Fukushima, T. see Ikuyama, S.

Furusho, K. see Kawai, M.

Galtier-Dereure, F. see Pujol, P.

Gambardella, A. see Paolisso, G.

Garcia-Pesquera, F. see Leal-Cerro, A.

Gatti, D. see Adami, S.

Gee, L. see Loh, K.C.

Gelding, S.V., Taylor, N.F., Wood, P.J., Noonan, K., Weaver, J.U., Wood, D.F. & Monson, J.P. The effect of growth hormone replacement therapy on cortisol-cortisone interconversion in hypopituitary adults: evidence for growth hormone modulation of extrarenal 11βhydroxysteroid dehydrogenase activity 153

Genazzani, A.D. see Pasquali, R.

Genazzani, A.D. Commentary Which form of HRT should we choose? 683

Ghatei, M.A. see Roberts, G.A.

Gibson, S. see White, A.

Gittoes, N.J.L., Bates, A.S., Tse, W., Bullivant, B., Sheppard, M.C., Clayton, R.N. & Stewart, P.M. Radiotherapy for nonfunctioning pituitary tumours 331

Gittoes, N.J.L., McCabe, C.J., Verhaeg, J., Sheppard, M.C. & Franklyn, J.A. Retinoid X receptor expression in the normal pituitary and clinically 'nonfunctioning' pituitary tumours 425

Gooren, L.J.G. see Van Kesteren, P.

Grabar, S. see Pujol, P.

Granada, M.L. see Cuatrecasas, G.

Gray, H.W. see Houghton, D.J.

Gray, R. see Al-Shoumer, K.A.S.

Grebe, S.K.G., Feek, C.M., Ford, H.C., Fagerström, J.N., Cordwell, D.P., Delahunt, J.W. & Toomath, R.J. A randomized trial of short-term treatment of Graves' disease with high-dose carbimazole plus thyroxine vs low-dose carbimazole 585

Green, A. see Burger, H.G.

Greenman, Y., Tordjman, K. & Stern, N. Increased body weight associated with prolactin secreting pituitary adenomas: weight loss with normalization of prolactin levels 547

Greenspan, F.S. see Lo, J.C.

Gregory, J.W. see Law, W.Y.

Grimelius, L see Sköldberg, F.

Grobbee, D.E. see Janssen, J.A.M.J.L.

Groome, N.P. see Anderson, R.A.

Groome, N.P. see Burger, H.G.

Grossman, A.B. see Johnston, L.B.

Grossman, A.B. see Peppercorn, P.D.

Grugni, G., Guzzaloni, G., Moro, D., Bettio, D., De Medici, C. & Morabito, F. Reduced growth hormone (GH) responsiveness to combined GH-releasing hormone and pyridostigmine administration in the Prader–Willi syndrome 769

Guilhem, I. see Modigliani, E.

Gulino, A. see Minniti, G.

Gupta, R.K. see Bhatia, E.

^{© 1998} Blackwell Science Ltd, Clinical Endocrinology, 48, 821-830

Gustafsson, J. see Halldin, M.U. Guzzaloni, G. see Grugni, G.

Hagen, C. see Jørgensen, J.O.L.

Hagen, C. see Støving, R.K.

Hagenäs, L. see Halldin, M.U.

Halldin, M.U., Tylleskär, K., Hagenäs, L., Tuvemo, T. & Gustafsson, J. Is growth hormone hypersecretion in diabetic adolescent girls also a daytime problem? 785

Handberg, A. see Støving, R.K.

Hangaard, J. see Støving, R.K.

Hänggi, W., Lippuner, K., Jaeger, P., Birkhäuser, M.H. & Horber, F.F. Differential impact of conventional oral or transdermal hormone replacement therapy or tibolone on body composition in postmenopausal women 691

Hanna, F.W.F., Pettit, R.J., Ammari, F., Evans, W.D., Sandeman, D. & Lazarus, J.H. Effect of replacement doses of thyroxine on bone mineral density 229

Hansen, T.B. see Jørgensen, J.O.L.

Hansen-Nord, M. see Støving, R.K.

Hara, Y. see Iitaka, M.

Harada, N. see Sasano, H.

Harvald, B. see Brix, T.H.

Hasslacher, C. see Cloos, C.

Hayashi, M. see Yoshida, T.

Heath, D.A. Commentary Clinical manifestations of abnormalities of the calcium sensing receptor 257

Hegedüs, L. Commentary Determination of *in-utero* thyroid size 9

Hegedüs, L. see Brix, T.H.

Hegedüs, L. see Faber, J.

Hennemann, G, Everts, M.E., De Jong, M., Lim, C.-F., Krenning, E.P. & Docter, R. Review The significance of plasma membrane transport in th bioavailability of thyroid hormone 1

Hermos, R.J. see Mitchell, M.L.

Hernandez, A.M. see Pomares, F.J.

Hillier, S.G. see Thomas, F.J.

Hindmarsh, P.C. see Raza, J.

Hinton, D.R. see Shimon, I.

Hipkin, L. see Lesse, G.P.

Hirano, T. see Saitoh, H.

Hiroi, N., Yakushiji, F., Shimojo, M., Watanabe, S., Sugano, S., Yamaguchi, N. & Miyachi, Y. Human ACTH hypersenstivity syndrome associated with abnormalities of the ACTH receptor gene 129

Hisaoka, T. see Iitaka, M.

Holm, N.V. see Brix, T.H.

Holmes, S.J. see Rahim, A.

Holownia, P. see Ostlere, L.S.

Holt, R.I.G. see Roberts, G.A.

Honour, J.W. see Ostlere, L.S.

Honour, J.W. see Rumsby, G.

Horber, F.F. see Hänggi, W.

Hori, H. see Yoshida, K.

Horowitz, M. see Need, A.G.

Houghton, D.J., Gray, H.W. & Mackenzie, K. Case report The tender neck: thyroiditis or thyroid abscess? 521

Hughes, C. see Al-Shoumer, K.A.S.

Huhtaniemi, I. & Pettersson, K. Clinical Molecular Endocrinology Review Mutations and polymorphisms in the gonadotrophin genes; clinical relevance 675

Huizenga, N.A.T.M. see Janssen, J.A.M.J.L.

Husebye, E.S. see Sköldberg, F.

Iitaka, M., Kawasaki, S., Sakurai, S.I., Hara, Y., Kuriyama, R., Yamanaka, K., Kitahama, S., Miura, S., Kawakami, Y. & Katayama, S. Serum substances that interfere with thyroid hormone assays in patients with chronic renal failure 739

Iitaka, M., Momotani, N., Hisaoka, T., Noh, J.Y., Ishikawa, N., Ishii, J., Katayama, S. & Ito, K. TSH receptor antibody-associated thyroid dysfunction following subacute thyroiditis 445

Iitaka, M., Noh, J.Y., Kitahama, S., Fukasawa, N., Miura, S., Kawakami, Y., Kawasaki, S., Yamanaka, K., Ishii, J., Katayama, S. & Ito, K. Elevated serum granulocyte colony-stimulating factor levels in patients with Graves' disease 275

Ikuyama, S., Mu, Y.M., Ohe, K., Nakagai, H., Fukushima, T., Takayanagi, R. & Nawata, H. Expression of an orphan nuclear receptor DAX-1 in human pituitary adenomas 647

Ilic, L.J. see Popovic, V.

Ishii, J. see Iitaka, M.

Ishikawa, N. see Iitaka, M.

Itakura, M. see Yoshimoto, K.

Ito, K. see Iitaka, M.

Ito, K. see Yoshida, T.

Iwahana, H. see Yoshimoto, K.

Jabbar, A. see Rodríguez-Arnao, J.

Jacobs, H.S. see Ostlere, L.S.

Jaeger, P. see Hänggi, W.

Jaffiol, C. see Pujol, P.

Jaffrain-Rea, M.L. see Minniti, G.

Jain, S.K. see Bhatia, E.

James, I. see Rodríguez-Arnao, J.

Janas, R. see Romer, T.E.

Janssen, J.A.M.J.L., Huizenga, N.A.T.M., Stolk, R.P., Grobbee, D.E., Pols, H.A.P., De Jong, F.H., Attanasio, A.M.F., Blum, W.F. & Lamberts, S.W.J. The acute

effect of dexamethasone on plasma leptin concentrations and the relationships between fasting leptin, the IGF-I/ IGFBP system, dehydroepiandrosterone, androstenedione and testosterone in an elderly population 621

Janssen, J.A.M.J.L., Stolk, R.P., Pols, H.A.P., Grobbee, D.E., De Jong, F.H. & Lamberts, S.W.J. Serum free IGF-I, total IGF-I, IGFBP-1 and IGFBP-3 levels in an elderly population: relation to age and sex steroid levels 471

Jansson, J.-O., Svensson, J., Bengtsson, B.-Å., Frohman, L.A., Ahlman, H., Wängberg, B., Nilsson, O. & Nilsson, M. Case report Acromegaly and Cushing's syndrome due to ectopic production of GHRH and ACTH by a thymic carcinoid tumour: in vitro responses to GHRH and GHRP-6243

Jensen, A.R. see Rittig, S.

Jensen, I.W. see Faber, J.

Jensen, K.T. see Rittig, S.

Jimenez, L.M. see Leal-Cerro, A.

Johannsson, G. see Wirén, L.

John, R. see Law, W.Y.

Johnston, C.F. see Shi, W.

Johnston, D.G. see Al-Shoumer, K.A.S.

Johnston, D.G. see Kousta, E.

Johnston, L.B., Grossman, A.B., Plowman, P.N., Besser, G.M. & Savage, M.O. Case report Normal final height and apparent cure after pituitary irradiation for Cushing's disease in childhood. long-term follow-up of anterior pituitary function 663

Jones, J. see Toogood, A.A.

Jørgensen, J.O.L. see Fisker, S.

Jørgensen, J.O.L., Vahl, N., Hansen, T.B., Skjæbæk, C., Fisker, S., Ørskov, H., Hagen, C. & Christiansen, J.S. Determinants of serum insulin-like growth factor I in growth hormone deficient adults as compared to healthy subjects 479

Jurkuhn, K. see Cloos, C.

Kaise, N. see Yoshida, K.

Kamoda, T. see Saitoh, H.

Kämpe, O. see Sköldberg, F.

Kann, P., Piepkorn, B., Schehler, B., Andreas, J., Lotz, J., Prellwitz, W. & Beyer, J. Effect of long-term treatment with GH on bone metabolism, bone mineral density and bone elasticity in GH-deificient adults 561

Karasik, A. see Achiron, R.

Karlsson, F.A. see Sköldberg, F.

Kaskarelis, J. see Tsagarakis, S.

Katayama, S. see Iitaka, M.

Kato, G. see Yoshimoto, K.

Kawai, M., Momoi, T., Yorifuji, T., Muroi, J., Yamanaka, C., Sasaki, H. & Furusho, K. Combination therapy with GH and cyproterone acetate does not improve final height in boys with non-GH-deficient short stature 53

Kawakami, Y. see Iitaka, M.

Kawasaki, S. see Iitaka, M.

Kendall-Taylor, P. see Vanderpump, M.P.J.

Kimura, T. see Yoshimoto, K.

King, S.M. see Moromisato, D.Y.

Kiso, Y. see Yoshida, K.

Kistner, M. see Cloos, C.

Kitahama, S. see Iitaka, M.

Klain, M. see Di Somma, C.

Klinger, B., Anin, S., Silbergeld, A., Eshet, R. & Laron, Z.

Development of hyperandrogenism during treatment with insulin-like growth factor-I (IGF-I) in female patients with Laron Syndrome 81

Kobayashi, J., Tashiro, J., Murano, S., Morisaki, N. & Saito, Y. Lipoprotein lipase mass and activity in postheparin plasma from subjects with intra-abdominal visceral fat accumulation 515

Kofman-Alfaro, S. see Maya-Núñez, G.

Kokkoris, P. see Tsagarakis, S.

Kostoglou-Athanassiou, I., Treacher, D.F., Wheeler, M.J. & Forsling, M.L. Melatonin administration and pituitary hormone secretion 31

Kostoglou-Athanassiou, I., Treacher, D.F., Wheeler, M.J. & Forsling, M.L. Bright light exposure and pituitary hormone secretion 73

Kousta, E., Chrisoulidou, A., Lawrence, N.J., Al-Shoumer, K.A.S., Parker, K.H., McCarthy, M.I. & Johnston, D.G. Rapid communication The circadian rhythm of leptin is preserved in growth hormone deficient hypopituitary adults 685

Krenning, E.P. see Hennemann, G.

Kristiansen, J. see Støving, R.K.

Kula, K.K. see Romer, T.E.

Kung, A.W.C. see Tan, K.C.B.

Kuriyama, R. see Iitaka, M.

Kwan, E.Y.W. see Low, L.C.K.

Laird, J. see Shi, W.

Lamberts, S.W.J. see Janssen, J.A.M.J.L.

Lancranjan, I. see Davies, P.H.

Larkin, C. see Shi, W.

Laron, Z. see Klinger, B.

Law, W.Y., Bradley, D.M., Lazarus, J.H., John, R. & Gregory, J.W. Congenital hypothyroidism in Wales (1982–93): demographic features, clinical presentation and effects on early neurodevelopment 201

Lawrence, N.J. see Kousta, E.

Lazarus, J.H. see Hanna, F.W.F.

Lazarus, J.H. see Law, W.Y.

Leal-Cerro, A., Venegas, E., Garcia-Pesquera, F.,
Jimenez, L.M., Astorga, R., Casanueva, F.F. &
Dieguez, C. Enhanced growth hormone (GH)
responsiveness to GH-releasing hormone after
dietary restriction in patients with Cushing's syndrome

Leclerc, L. see Modigliani, E.

Lepage, R. see D'Amour, P.

Lesse, G.P., Fraser, W.D., Farquharson, R., Hipkin, L. & Vora, J.P. Gonadal status is an important determinant of bone density in acromegaly 59

Letizia, C., Cerci, S., Centanni, M., De Toma, G., Subioli, S., Scuro, L. & Scavo, D. Circulating levels of adrenomedullin in patients with Addison's disease before and after corticosteroid treatment 145

Lim, C.-F. see Hennemann, G.

Lipitz, S. see Achiron, R.

Lippuner, K. see Hänggi, W.

Lips, P. see Van Kesteren, P.

Lo, J.C., Loh, K.C., Rubin, A.L., Cha, I. & Greenspan, F.S. Case report Riedel's thyroiditis presenting with hypothroidism and hypoparathyroidism: dramatic response to glucocorticoid and thyroxine therapy 815

Loh, K.C. see Lo, J.C.

Loh, K.C., Duh, Q.Y., Shoback, D., Gee, L., Siperstein, A. & Clark, O.H. Clinical profile of primary hyperparathyroidism in adolescents and young adults 435

Lombardi, G. see Di Somma, C.

Lombardi, G. see Longobardi, S.

Longobardi, S., Cuocolo, A., Merola, B., Di Rella, F., Colao, A., Nicolai, E., Cardei, S., Salvatore, M. & Lombardi, G. Left ventricular function in young adults with childhood and adulthood onset growth hormone deficiency 137

Lorini, R. see Cisternino, M.

Lotz, J. see Kann, P.

Low, L.C.K., Postel-Vinay, M.C., Kwan, E.Y.W. & Cheung, P.T. Serum growth hormone (GH) binding protein, IGF-I and IGFBP-3 in patients with β-thalassaemia major and the effect of GH treatment 641

Lowe, D.G. see Romer, T.E.

Lukezic, M. see Pellini, C.

Mackenzie, K. see Houghton, D.J.

Mackie, E.M. see Brennan, B.M.D.

Madsen, J.C. see Schwarz, P.

Maes, B. see Modigliani, E.

Maggiore, G. see Maghnie, M.

Maghnie, M., Barreca, A., Ventura, M., Tinelli, C., Ponzani, P., De Giacomo, C., Maggiore, G. & Severi, F. Failure to increase insulin-like growth factor-I synthesis is involved in the mechnisms of growth retardation in children with inherited liver disorders 747

Malagari, C. see Tsagarakis, S.

Malendowicz, L. see Romer, T.E.

Manier, G. see Duclos, M.

Manieri, C. see Martina, V

Martina, V, Tagliabue, M., Bruno, G.A., Bonetti, G., Brancaleoni, V., Meineri, I., Saracco, G., Zumpano, E., Manieri, C. & Camanni, F. The altered plasma amino acid pattern is responsible for the paradoxical growth hormone response to the oral glucose tolerance test in liver cirrhosis 175

Martinetti, M. see Cisternino, M.

Mason, J.I. see Thomas, F.J.

Massoud, A.F. see Raza, J.

Maya-Núñez, G., Cuevas-Covarrubias, S., Zenteno, J.C., Ulloa-Aguirre, A., Kofman-Alfaro, S. & Méndez, J.P. Contiguous gene syndrome due to deletion of the first three exons of the Kallmann gene and complete deletion of the steroid sulphatase gene 713

McCabe, C.J. see Gittoes, N.J.L.

McCarthy, M.I. see Kousta, E.

McGregor, A. see Philippou, G.

Medbak, S. see Scott, L.

Megens, J. see Van Kesteren, P.

Meineri, I. see Martina, V

Melmed, S. see Shimon, I.

Méndez, J.P. see Maya-Núñez, G.

Merola, B. see Di Somma, C.

Merola, B. see Longobardi, S.

Michel, U., Shintani, Y. & Nau, R. Rapid communication Serum follistatin concentrations are increased in patients with septicaemia 413

Michelakakis, H. see Schulpis, K.H.

Micic, D. see Popovic, V.

Miell, J.P. see Roberts, G.A.

Minniti, G., Moroni, C., Jaffrain-Rea, M.L., Bondanini, F., Gulino, A., Cassone, R. & Tamburrano, G. Prevalence of hypertension in acromegalic patients: clinical measurement vs 24-h ambulatory blood pressure monitoring 149

Mitchell, M.L. & Hermos, R.J. Cortisol in dried blood screening specimens from newborns with raised 17hydroxyprogesterone and congenital adrenal hyperplasia 757

Miura, S. see Iitaka, M.

Miyachi, Y. see Hiroi, N.

Modigliani, E., Cohen, R., Campos, J.M., Conte-Devolx, B., Maes, B., Boneu, A., Schlumberger, M., Bigorgne, J.C., Dumontier, P., Leclerc, L., Corcuff, B. & Guilhem, I. Prognostic factors for survival and for biochemical cure

in medullary thyroid carcinoma: results in 899 patients 265

Moghetti, P. see Adami, S.

Mohamed-Ali, V. see Pinkney, J.H.

Mohan, S. see Moromisato, D.Y.

Momoi, T. see Kawai, M.

Momotani, N. see Iitaka, M.

Momotani, N. see Yoshida, T.

Mone, C.M. see Paolisso, G.

Monkawa, T. see Yoshida, T.

Monson, J.P. see Gelding, S.V.

Mora, S. see Pellini, C.

Morabito, F. see Grugni, G.

Moreau-Gaudry, F. see Duclos, M.

Morisaki, N. see Kobayashi, J.

Moro, D. see Grugni, G.

Moromisato, D.Y., Roberts, C., Brasel, J.A., Mohan, S., Cowles, E., King, S.M. & Cooper, D.M. Erythrocyte insulin-like growth factor-I binding in younger and older males 339

Moroni, C see Minniti, G.

Morris, H.A. see Need, A.G.

Mu, Y.M. see Ikuyama, S.

Murano, S. see Kobayashi, J.

Muroi, J. see Kawai, M.

Nagura, H. see Sasano, H.

Nakagai, H. see Ikuyama, S.

Nakahara, S. see Saitoh, H.

Nakamura, N. see Saitoh, H.

Nakazato, N. see Yoshida, K.

Nau, R. see Michel, U.

Nawata, H. see Ikuyama, S.

Need, A.G., Morris, H.A., Horowitz, M., Scopacasa, F. & Nordin, B.E.C. Intestinal calcium absorption in men with spinal osteoporosis 163

Nicolai, E. see Longobardi, S.

Nilsson, M. see Jansson, J.-O.

Nilsson, O. see Jansson, J.-O.

Noh, J.Y. see Iitaka, M.

Noonan, K. see Gelding, S.V.

Nordin, B.E.C. see Need, A.G.

Nygaard, B. see Faber, J.

O'Neill, P.A. see Toogood, A.A.

Obradovic, S. see Popovic, V.

Oelkers, W. see Al-Saadi, N.

Ohe, K. see Ikuyama, S.

Ong, Y.L. see Shi, W.

Ørskov, H. see Fisker, S.

Ørskov, H. see Jørgensen, J.O.L.

Osella, G. see Terzolo, M.

Osman, A. see Pujol, P.

Ostlere, L.S., Rumsby, G., Holownia, P., Jacobs, H.S., Rustin, M.H.A. & Honour, J.W. Carrier status for steroid 21-hydroxylase deficiency is only one factor in the variable phenotype of acne 209

Paccotti, P. see Terzolo, M.

Pandey, R. see Bhatia, E.

Pang, R.W.C. see Tan, K.C.B.

Paolisso, G., Rizzo, M.R., Mone, C.M., Tagliamonte, M.R., Gambardella, A., Riondino, M., Carella, C., Varricchio, M. & D'Onofrio, F. Plasma sex hormones are significantly associated with plasma leptin concentration in healthy subjects 291

Papakonstantinou, E. see Schulpis, K.H.

Papandreou, U. see Schulpis, K.H.

Parker, K.H. see Kousta, E.

Parrilla, P. see Pomares, F.J.

Pasquali, R., Biscotti, D., Spinucci, G., Vicennati, V., Genazzani, A.D., Sgarbi, L. & Casimirri, F. Pulsatile secretion of ACTH and cortisol in premenopausal women: effect of obesity and body fat distribution 603

Pastuszko, D. see Czarnocka, B.

Pedersen, E.B. see Rittig, S.

Pellini, C., De Angelis, R., Di Natale, B., Lukezic, M., Mora, S. & Chiumello, G. Dexamethasone in the diagnostic work-up of growth hormone deficiency 223

Peppercorn, P.D., Grossman, A.B. & Reznek, R.H. Review Imaging of incidentally discovered adrenal masses 379

Perrett, D. see Rodríguez-Arnao, J.

Petersen, L. see Faber, J.

Pettersson, K. see Huhtaniemi, I.

Pettit, R.J. see Hanna, F.W.F.

Pfeilschifter, J. see Seck, T.

Philippou, G. & McGregor, A. Commentary The aetiology of Graves' disease: what is the genetic contribution? 393

Piepkorn, B. see Kann, P.

Pinkney, J.H., Coppack, S.W. & Mohamed-Ali, V. Rapid communication Effect of isoprenaline on plasma leptin and lipolysis in humans 407

Pivonello, R. see Di Somma, C.

Plowman, P.N. see Johnston, L.B.

Podoba, J. see Czarnocka, B.

Pols, H.A.P. see Janssen, J.A.M.J.L.

Pomares, F.J., Cañas, R., Rodriguez, J.M., Hernandez, A.M., Parrilla, P. & Tebar, F.J. Differences between sporadic and multiple endocrine neoplasia type 2 A phaeochromocytoma 195

Ponzani, P. see Maghnie, M.

^{© 1998} Blackwell Science Ltd, Clinical Endocrinology, 48, 821-830

Popovic, V., Simic, M., Ilic, L.J., Micic, D., Damjanovic, S., Djurovic, M., Obradovic, S., Dieguez, C. & Casanueva, F. Growth hormone secretion elicited by GHRH, GHRP-6 or GHRH plus GHRP-6 in patients with microprolactinoma and macroprolactinoma before and after bromocriptine therapy 103

Postel-Vinay, M.C. see Low, L.C.K.

Prellwitz, W. see Kann, P.

Pujol, P., Osman, A., Grabar, S., Daurès, J.P., Galtier-Dereure, F., Boegner, C., Baldet, L., Raye, R., Bringer, J. & Jaffiol, C. TSH suppression combined with carbimazole for Graves' disease: effect on remission and relapse rates 635

Rahim, A. see Brennan, B.M.D.

Rahim, A., Holmes, S.J., Adams, J.E. & Shalet, S.M. Long-term change in the bone mineral density of adults with adult onset growth hormone (GH) deficiency in response to short or long-term GH replacement therapy 463

Rashedi, M. see Corcuff, J.B.

Rashedi, M. see Duclos, M.

Rasmussen, A.Q. see Schwarz, P.

Raye, R. see Pujol, P.

Raza, J., Massoud, A.F., Hindmarsh, P.C., Robinson, I.C.A.F. & Brook, C.G.D. Direct effects of corticotrophinreleasing hormone on stimulated growth hormone secretion 217

Remesar, X. see Cuatrecasas, G.

Reznek, R.H. see Peppercorn, P.D.

Richmond, W. see Al-Shoumer, K.A.S.

Riondino, M. see Paolisso, G.

Rittig, S., Jensen, A.R., Jensen, K.T. & Pedersen, E.B. Effect of food intake on the pharmacokinetics and antidiuretic activity of oral desmopressin (DDAVP) in hydrated normal subjects 235

Rizzo, M.R. see Paolisso, G.

Roberts, C. see Moromisato, D.Y.

Roberts, G.A., Holt, R.I.G., Ghatei, M.A., Baker, A.J., Bloom, S.R. & Miell, J.P. Rapid communication Serum leptin and insulin in paediatric end-stage liver disease and following successful orthotopic liver transplantation 401

Robertson, D.M. see Burger, H.G.

Robinson, I.C.A.F. see Raza, J.

Roboti, C. see Tsagarakis, S.

Rodriguez, J.M. see Pomares, F.J.

Rodríguez-Arnao, J., James, I., Jabbar, A., Trainer, P.J., Perrett, D., Besser, G.M. & Ross, R.J.M. Serum collagen crosslinks as markers of bone turn-over during GH replacement therapy in growth hormone deficient adults 455 Roger, P. see Corcuff, J.B.

Roger, P. see Duclos, M.

Romer, T.E., Sachnowska, K., Savage, M.O., Wozniewicz, B., Lowe, D.G., Kula, K.K., Janas, R., Malendowicz, L. & Besser, G.M. Case report Luteinizing hormone secreting adrenal tumour as a cause of precocious puberty 367

Rorsman, F. see Sköldberg, F.

Ross, R.J.M. see Rodríguez-Arnao, J.

Rotstein, Z. see Achiron, R.

Rousseau, L. see D'Amour, P.

Rubin, A.L. see Lo. J.C.

Rull, M. see Cuatrecasas, G.

Rumsby, G. see Ostlere, L.S.

Rumsby, G., Avey, C.J., Conway, G.S. & Honour, J.W. Genotype-phenotype analysis in late onset 21hydroxylase deficiency in comparison to the classifical forms 707

Rustin, M.H.A. see Ostlere, L.S.

Sachnowska, K. see Romer, T.E.

Saito, Y. see Kobayashi, J.

Saitoh, H., Kamoda, T., Nakahara, S., Hirano, T. & Nakamura, N. Serum concentrations of insulin, insulinlike growth factor(IGF)-I, IGF binding protein (IGFBP)-1 and – 3 and growth hormone binding protein in obese children: fasting IGFBP-1 is suppressed in normoinsulinaemic obese children 487

Sakurai, S.I. see Iitaka, M.

Salvaneschi, L. see Cisternino, M.

Salvatore, M. see Di Somma, C.

Salvatore, M. see Longobardi, S.

Sandeman, D. see Hanna, F.W.F.

Sano, T. see Yoshimoto, K.

Saracco, G. see Martina, V

Saruta, T. see Yoshida, T.

Sasaki, H. see Kawai, M.

Sasano, H., Takahashi, K., Satoh, F., Nagura, H. & Harada, N. Aromatase in the human central nervous system 325

Satoh, F. see Sasano, H.

Savage, M.O. see Cotterill, A.M.

Savage, M.O. see Johnston, L.B.

Savage, M.O. see Romer, T.E.

Sayama, N. see Yoshida, K.

Scanlon, M.F. see Evans, P.M.S.

Scarpello, J.H.B. see Vanderpump, M.P.J.

Scavo, D. see Letizia, C.

Schehler, B. see Kann, P.

Scheidt-Nave, C. see Seck, T.

Schlumberger, M. see Modigliani, E.

Schmidt-Gayk, H. see Cloos, C.

Schulpis, K.H., Papakonstantinou, E., Michelakakis, H., Theodoridis, T., Papandreou, U. & Constantopoulos, A. Elevated serum prolactin concentrations in phenylketonuric patients on a 'loose diet' 99

Schwarz, P., Madsen, J.C., Rasmussen, A.Q., Transbøl, I.B. & Brown, E.M. Evidence for a role for intracellular stored parathyroid hormone in producing hysteresis of the PTH-calcium relationship in normal humans 725

Scopacasa, F. see Need, A.G.

Scott, L., Medbak, S. & Dinan, T. The low dose ACTH test in chronic fatigue syndrome and in health 733

Scure, I see Letizia, C.

Seck, T., Scheidt-Nave, C., Ziegler, R. & Pfeilschifter, J. Positive association between circulating free thyroxine and insulin-like growth factor I concentrations in euthyroid elderly individuals 361

Seidman, D.S. see Achiron, R.

Severi, F. see Cisternino, M.

Severi, F. see Maghnie, M.

Sgarbi, L. see Pasquali, R.

Shalet, S.M. see Brennan, B.M.D.

Shalet, S.M. see Rahim, A.

Shalet, S.M. see Toogood, A.A.

Sheppard, M.C. see Davies, P.H.

Sheppard, M.C. see Gittoes, N.J.L.

Shi, W., Buchanan, K.D., Johnston, C.F., Larkin, C., Ong, Y.L., Ferguson, R. & Laird, J. The octreotide suppression test and [111In-DTPA-D-Phe1]-octreotide scintigraphy in neuroendocrine tumours correlate with responsiveness to somatostatin analogue treatment 303

Shimojo, M. see Hiroi, N.

Shimon, I., Hinton, D.R., Weiss, M.H. & Melmed, S. Prolactinomas express human heparin-binding secretory transforming gene (hst) protein product: marker of tumour invasiveness 23

Shintani, Y. see Michel, U.

Shiu, S.W.M. see Tan, K.C.B.

Shoback, D. see Loh, K.C.

Siersbaek-Nielsen, K. see Faber, J.

Silbergeld, A. see Klinger, B.

Simic, M. see Popovic, V.

Siperstein, A. see Loh, K.C.

Skjæbæk, C. see Jørgensen, J.O.L.

Sköldberg, F., Grimelius, L, Woodward, E.R., Rorsman, F., Van Schothorst, E.W., Winqvist, O., Karlsson, F.A., Åkerström, G., Kämpe, O. & Husebye, E.S. A family with hereditary extra-adrenal paragangliomas without evidence for mutations in the von Hippel-Lindau disease or ret genes 11

Smits, N.J. see Wesche, M.F.T.

Spinucci, G. see Pasquali, R.

Ste-Marie, L.G. see D'Amour, P.

Stern, N. see Greenman, Y.

Stewart, P.M. see Davies, P.H.

Stewart, P.M. see Gittoes, N.J.L.

Stewart, S.E. see Davies, P.H.

Stolk, R.P. see Janssen, J.A.M.J.L.

Støving, R.K., Vinten, J., Handberg, A., Ebbesen, E.N., Hangaard, J., Hansen-Nord, M., Kristiansen, J. & Hagen, C. Diurnal variation of the serum leptin concentration in patients with anorexia nervosa 761

Suárez, H.G. Clinical Molecular Endocrinology Review Genetic alterations in human epithelial thyroid tumours 531

Subioli, S. see Letizia, C.

Sugano, S. see Hiroi, N.

Svensson, J. see Jansson, J.-O.

Szabolcs, I. see Czarnocka, B.

Tabarin, A. see Corcuff, J.B.

Tabarin, A. see Duclos, M.

Tagliabue, M. see Martina, V

Tagliamonte, M.R. see Paolisso, G.

Takahashi, K. see Sasano, H.

Takayanagi, R. see Ikuyama, S.

Tamburrano, G. see Minniti, G.

Tan, K.C.B., Shiu, S.W.M., Pang, R.W.C. & Kung, A.W.C. Effects of testosterone replacement on HDL subfractions and apolipoprotein A-I containing lipoproteins 187

Tanaka, C. see Yoshimoto, K.

Tani, J.I. see Yoshida, K.

Tashiro, J. see Kobayashi, J.

Taylor, N.F. see Gelding, S.V.

Tebar, F.J. see Pomares, F.J.

Terzolo, M., Osella, G., Ali, A., Borretta, G., Cesario, F., Paccotti, P. & Angeli, A. Subclinical Cushing's syndrome in adrenal incidentaloma 89

Tetsuka, M. see Thomas, F.J.

Thalassinos, N. see Tsagarakis, S.

Theodoridis, T. see Schulpis, K.H.

Thomas, F.J., Thomas, M.J., Tetsuka, M., Mason, J.I. & Hillier, S.G. Corticosteroid metabolism in human granulosa-lutein cells 509

Thomas, M.J. see Thomas, F.J.

Thorner, M.O. see Toogood, A.A.

Tinelli, C. see Maghnie, M.

Toogood, A.A., Jones, J., O'Neill, P.A., Thorner, M.O. & Shalet, S.M. The diagnosis of severe growth hormone deficiency in elderly patients with hypothalamic-pituitary disease 569

Toomath, R.J. see Grebe, S.K.G.

Tordjman, K. see Greenman, Y.

^{© 1998} Blackwell Science Ltd, Clinical Endocrinology, 48, 821-830

Tosi, F. see Adami, S.

Traber, L. see Cloos, C.

Trainer, P.J. see Rodríguez-Arnao, J.

Transbøl, I.B. see Schwarz, P.

Treacher, D.F. see Kostoglou-Athanassiou, I.

Tripodi, F.S. see Di Somma, C.

Tsagarakis, S., Kokkoris, P., Roboti, C., Malagari, C., Kaskarelis, J., Vlassopoulou, V., Alevizaki, C. & Thalassinos, N. The low-dose dexamethasone suppression test in patients with adrenal incidentalomas: comparisons with clinically euadrenal subjects and patients with Cushing's syndrome 627

Tse, W. see Gittoes, N.J.L.

Tsuyuguchi, M. see Yoshimoto, K.

Tunbridge, W.M.G. see Vanderpump, M.P.J.

Tuvemo, T. see Halldin, M.U.

Tylleskär, K. see Halldin, M.U.

Ulloa-Aguirre, A. see Maya-Núñez, G.

Vahl, N. see Jørgensen, J.O.L.

Van Kesteren, P., Lips, P., Gooren, L.J.G., Asscheman, H. & Megens, J. Long-term follow-up of bone mineral density and bone metabolism in transsexuals treated with crosssex hormones 347

Van Schothorst, E.W. see Sköldberg, F.

Vanderpump, M.P.J., Alexander, L., Scarpello, J.H.B. & Clayton, R.N. An audit of the management of thyroid cancer in a district general hospital 419

Vanderpump, M.P.J., French, J.M., Appleton, D., Tunbridge, W.M.G. & Kendall-Taylor, P. The prevalence of hyperprolactinaemia and association with markers of autoimmune thyroid disease in survivors of the Whickham survey cohort 39

Varricchio, M. see Paolisso, G.

Venegas, E. see Leal-Cerro, A.

Ventura, M. see Maghnie, M.

Verhaeg, J. see Gittoes, N.J.L.

Vicennati, V. see Pasquali, R.

Vinten, J. see Støving, R.K.

Vlassopoulou, V. see Tsagarakis, S.

Vora, J.P. see Lesse, G.P.

Wahl, P. see Cloos, C.

Wängberg, B. see Jansson, J.-O.

Watanabe, S. see Hiroi, N.

Weaver, J.U. see Gelding, S.V.

Webster, J. see Evans, P.M.S.

Weisnagel, J. see D'Amour, P.

Weiss, M.H. see Shimon, I.

Wenzel, B. see Czarnocka, B.

Wesche, M.F.T., Wiersinga, W.M. & Smits, N.J. Lean body mass as a determinant of thyroid size 701

Wheeler, M.J. see Kostoglou-Athanassiou, I.

White, A. & Gibson, S. Review ACTH precursors: biological significance and clinical relevance 251

Wiersinga, W.M. see Wesche, M.F.T.

Winqvist, O. see Sköldberg, F.

Wirén, L., Bengtsson, B.Å. & Johannsson, G. Beneficial effects of long-term GH replacement therapy on quality of life in adults with GH deficiency 613

Wood, D.F. see Gelding, S.V.

Wood, P.J. see Gelding, S.V.

Woodward, E.R. see Sköldberg, F.

Wozniewicz, B. see Romer, T.E.

Yakushiji, F. see Hiroi, N.

Yamaguchi, N. see Hiroi, N.

Yamanaka, C. see Kawai, M.

Yamanaka, K. see Iitaka, M.

Yorifuji, T. see Kawai, M.

Yoshida, K., Aizawa, Y., Kaise, N., Fukazawa, H., Kiso, Y., Sayama, N., Hori, H., Nakazato, N., Tani, J.I. & Abe, K. Role of thyroid-stimulating blocking antibody in patients who developed hypothyroidism within one year after ¹³¹I treatment for Graves' disease 17

Yoshida, T., Momotani, N., Hayashi, M., Monkawa, T., Ito, K. & Saruta, T. Serum leptin concentrations in patients with thyroid disorders 299

Yoshimoto, K., Endo, H., Tsuyuguchi, M., Tanaka, C., Kimura, T., Iwahana, H., Kato, G., Sano, T. & Itakura, M. Familial isolated primary hyperparathyroidism with parathyroid carcinomas: clinical and molecular features 67

Zamberlan, N. see Adami, S.

Zenteno, J.C. see Maya-Núñez, G.

Ziegler, R. see Seck, T.

Zumpano, E. see Martina, V

Subject index to Volume 48

Acne

CAH carriers in adult females 209

Acromegaly

ectopic secretion of GHRH and ACTH (Case report) 243 gonadal status and bone density 59

hypertension in 149

long-acting octreotide in 311

ACTH

abnormalities of secretion in obesity 603 ectopic secretion (Case report) 243

hypersensitivity syndrome 129, (Commentary) 135

low dose test in chronic fatigue syndrome 733 precursors (Review) 251

stimulation test (Letter) 124

Addison's disease

adrenomedullin in 145

tuberculous, and adrenal function 355

Adrenal function

in precocious puberty 555

in tuberculous Addison's disease 355

Adrenal hyperplasia

dried blood screening for CAH 757

genotype-phenotype analysis of 21-hydroxylase

deficiency 707

Adrenal incidentalomas

dexamethasone suppression test and 627

imaging (Review) 379

subclinical Cushing's syndrome and 89

Adrenal tumour

LH-secreting, and precocious puberty (Case report) 367

Adrenomedullin

in Addison's disease 145

Alendronate

treatment of osteoporosis in Cushing's disease 655

Amino acids

altered pattern in liver cirrhosis 175

Anorexia nervosa

diurnal variations of serum leptin 761

Antibodies

thyroid peroxidase autoantibodies 803

thyroid-stimulating blocking 17

thyrotrophin receptor 445

Arginine tolerance tests

diagnosis of GHD in adulthood 109

Aromatase

in human CNS 325

Autoantibodies

thyroid peroxidase, in old age 803

Blood screening

for congenital adrenal hyperplasia 757

Body composition

impact of HRT and tibolone 691

Body mass

as determinant of thyroid size 701

Body weight

as determinant of thyroid size 701

in hyperprolactinaemia 547

impact of HRT and tibolone 691

Bone

BMD and gonadal status in acromegaly 59

BMD in long-term GH therapy 463

BMD and menstrual disturbances 169

BMD and replacement thyroxine 229

cross-sex hormone administration and 347

metabolism and long-term GH therapy 561

remodelling markers in GH therapy 455

subclinical hyperthryoidism and bone loss 285

urinary markers in diabetes mellitus 317

Bromocriptine therapy

GH secretion and prolactinoma 103

Calcium

abnormalities of calcium-sensing receptor (Commentary)

257

absorption in spinal osteoporosis 163

in hysteretic PTH-calcium relationship 725

Carbimazole

in treatment of Graves' disease 585, 635

Carbohydrate tolerance

effects of long-term GH therapy 795

Carcinoid tumour

ectopic secretion of GHRH and ACTH (Case report)

243

Cardiac function

in adult GHD 137

Cardiovascular disease

lipid metabolism, hypopituitarism and GHD (Letter) 525

Children

dried blood screening for CAH in newborns 757

GH and cyproterone therapy for short boys 53

IGFBP-1 in obesity 487

IGF-I and growth retardation in liver disease 747

leptin and insulin in liver disease and transplantation

(Rapid communication) 401

LH-secreting tumour and precocious puberty (Case

report) 367

radiotherapy in pituitary-dependent Cushing's disease (Case report) 663 short stature and IGF-I generation test 719

Chronic fatigue syndrome low dose ACTH test 733

Cirrhosis, liver

GH response in glucose tolerance test 175

Corticosteroids

leptin and 621

metabolism in granulosa-lutein cells 509

Corticotrophin-releasing hormone effects on GH secretion 217

Cortisol

in dried blood screening for CAH 757 effect of GH on metabolism 153 effects of obesity on secretion 603 metabolism in endurance-trained athletes 493 urinary, in diagnosis of Cushing's syndrome 503

Cushing's disease/syndrome
alendronate treatment of osteoporosis 655
dexamethasone suppression test and 45, 627
dietary restriction and GH responses 117
ectopic secretion of GHRH and ACTH (Case report) 243
pituitary-dependent, and radiotherapy (Case report) 663
SLE after pituitary adenomectomy 669 (Letter) 669
subclinical, in adrenal incidentaloma 89

urinary cortisol in screening 503 Cyproterone with GH therapy for short boys 53

DAY-1

expression in pituitary adenomas 647

Dehydroepiandrosterone leptin and 621

Desmopressin

effects of food intake on absorption 235

Dexamethasone

in diagnosis of GHD 223 suppression test, acute effect on plasma leptin 621 suppression test, and adrenal incidentalomas 627

suppression test and Cushing's syndrome 45, 627

Diabetes mellitus

GH hypersecretion in adolescent girls 785 urinary bone markers in 317

Diet

GH responses in Cushing's syndrome 117 serum prolactin in phenylketonuria and 99

Dopaminergic drugs

Helicobacter pylori infection and (Letter) 373

Elderly subjects

corticosteroids, IGF-I/IGFBP and leptin 621 diagnosis of GHD in hypothalamic-pituitary disease 569 IGF-I and sex hormones 471 thyroid peroxidase autoantibodies and 803

Employment rates

pituitary disease and (Letter) 374

Erythrocytes

IGF-I binding in males 339

Exercise

cortisol metabolism in endurance-trained athletes 493

Follistatin

in septicaemia (Rapid communication) 413

Food

intake and desmopressin absorption 235

FSH

menopausal status, and inhibins A and B 809 therapy in PCOS 577

Genetics

abnormalities of calcium-sensing receptor (Commentary) 257

ACTH hypersensitivity syndrome 129, (Commentary) 135

aetiology of Graves' disease (Rapid communication) 397, (Commentary) 393

alterations in epithelial thyroid tumours (Clinical molecular endocrinology) 531

CAH carriers in adult females with acne 209 congenital hypothyroidism in Wales 201

contiguous gene syndrome 713

familial isolated primary hyperparathyroidism with parathyroid carcinomas 67

genotype-phenotype analysis of 21-hydroxylase deficiency 707

hereditary extra-adrenal paraganglioma 13

heterozygosity of adrenal 21-OHD and precocious puberty 555

hst protein in prolactinomas 23

mutations and polymorphisms in gonadotrophin genes (Clinical Molecular Endocrinology) 675

orphan nuclear receptor DAX-1 in pituitary ademomas 647

retinoid X receptor expression and pituitary adenomas (Letter) 527

GH

BMD in long-term therapy 463 bone remodelling markers in replacement therapy 455 with cyproterone therapy for short boys 53 effects of corticotrophin-releasing hormone on secretion 217

effects on lipid metabolism and carbohydrate tolerance 795

hypersecretion in diabetic adolescent girls 785

IGF-I generation test in children of short stature 719

IGF-I and growth retardation in liver disease 747

in liver cirrhosis 175

response in Prader-Willi syndrome 769

responses in Cushing's syndrome 117

secretion and prolactinoma 103

status following cranial irradiation 777

therapy in β -thalassaemia major 641

therapy, and cortisol metabolism 153

GHBP

in β -thalassaemia major 641

GHD

bone metabolism and long-term GH therapy 561 cardiac function in young adults and 137

cardiovascular disease, lipid metabolism and

hypopituitarism (Letter) 525

dexamethasone in diagnosis 223

diagnosis in adulthood 109

diagnosis in elderly patients with hypothalamic-pituitary disease 569

GH therapy, lipid metabolism and carbohydrate tolerance 795

IGF-I determinants in 479

leptin in (Rapid communication) 685

quality of life and GH therapy 613

GHRH

ectopic secretion (Case report) 243

GH responses in Cushing's syndrome 117

GH secretion and prolactinoma 103

in Prader-Willi syndrome 769

GHRP-6

GH secretion and prolactinoma 103

thymic carcinoid tumour and (Case report) 243

Glucocorticoid

therapy in Riedel's thyroiditis (Case report) 815

Glucose homeostasis

effects of long-term GH therapy 795

Glucose tolerance test

GH response in liver cirrhosis 175

Gonadotrophins

mutations and polymorphisms in genes (Clinical

Molecular Endocrinology) 675

Granulocyte colony-stimulating factor

in Graves' disease 275

Granulosa-lutein cells

corticosteroid metabolism 509

Graves' disease

genetic aspects of aetiology (Rapid communication) 397,

(Commentary) 393

granulocyte colony-stimulating factor levels 275

hypothyroidism after radioiodine therapy (Letter) 526

treatment with carbimazole and thyroxine 585

TSBAb in hypothyroidism after 131 17

TSH suppression with carbimazole 635

Helicobacter pylori

dopaminergic drugs in hyperprolactinaemia and (Letter) 373

Heparin

hst protein in prolactinomas 23

Hormone replacement therapy

choice of (Commentary) 683

impact on body composition of women 691

HPA

adaptation in endurance-trained athletes 493

21-Hydroxylase

deficiency, genotype-phenotype analysis 707 heterozygosity and precocious puberty 555

17-Hydroxyprogesterone

in dried blood screening for CAH 757

Hyperandrogenism

bone mass and menstrual disturbances 169

IGF-I induced 81

Hypercalcaemia

familial benign (Commentary) 257

Hyperparathyroidism

familial isolated, with parathyroid carcinomas 67 primary, clinical profile 435

Hyperprolactinaemia

association with autoimmune thyroid disease markers 39

changes in serum prolactin levels (Letter) 123

Helicobacter pylori infection and (Letter) 373

relationship with body weight 547

in Whickham Survey cohort 39

Hypertension

in acromegaly 149

Hyperthyroidism

radioiodine therapy and pregnancy 281

subclinical, and bone loss 285

Hypocalcaemia

abnormalities of calcium-sensing receptor (Commentary) 257

Hypogonadism

BMD and acromegaly 59

effects of testosterone on melatonin (Letter) 670

Hypoparathyroidism

with hypothyroidism in Riedel's thyroiditis (Case report)

Hypopituitarism

cardiovascular disease, lipid metabolism and GHD (Letter) 525 diagnosis of GHD in elderly patients 569 GH therapy and cortisol metabolism 153 leptin in (Rapid communication) 685

Hypothalamic-pituitary disease diagnosis of GHD in elderly patients 569

Hypothyroidism
after iodine-131 therapy for Graves' disease (Letter) 526
congenital, in Wales 201
with hypoparathyroidism in Riedel's thyroiditis (Case
report) 815
thyroid-stimulating blocking antibody after radioiodine

Hysteresis of PTH-calcium relationship 725

IGFBP
IGFBP-1 and IGFBP-3 in elderly subjects 471
IGFBP-3 in IGF-I generation test in children of short stature 719
IGFBP-3 in β-thalassaemia major 641
serum levels in obese children 487

IGF-I
age, sex hormones and 471
determinants in GHD 479
generation test in children of short stature 719
hyperandrogenism induced by 81
leptin and IGF-I/IGFBP system 621
red cell binding in males 339
serum levels in obese children 487
synthesis, and growth retardation in liver disease 747
in β-thalassaemia major 641
thyroid hormones and 361

Imaging adrenal incidentalomas (Review) 379 Inhibins A and B

in polycystic ovarian syndrome 577 relationship to menopausal status 809

Insulin
cleavage in obesity 181
effects of long-term GH therapy 795
in liver disease and transplantation (Rapid
communication) 401
serum levels in obese children 487
tolerance test in HPA assessment (Letter) 124
tolerance tests, diagnosis of GHD in adulthood 109

TPO autoantibodies in old age and 803 Isoprenaline

effect on leptin and lipolysis (Rapid communication) 407

IVF/ET corticosteroid metabolism in granulosa-lutein cells 509

Kallmann gene in contiguous gene syndrome 713

Laron syndrome IGF-I induced hyperandrogenism 81

Leptin
acute effect of dexamethasone in elderly subjects 621
association with sex hormones 291
circadian rhythm in GHD and hypopituitarism (Rapid
communication) 685
diurnal variations in anorexia nervosa 761
effect of isoprenaline (Rapid communication) 407
effects of thyroid disorders 299
in liver disease and transplantation (Rapid
communication) 401
production in obesity 181

Leukaemia acute lymphoblastic, GH and cranial irradiation 777 LH

secretion by adrenal tumour (Case report) 367 Light exposure

pituitary hormone secretion and 73

Lipid metabolism cardiovascular mortality, hypopituitarism and GHD (Letter) 525 effect of isoprenaline (Rapid communication) 407

effects of long-term GH therapy 795 lipoproteins in obesity 515 lipoproteins in testosterone replacement therapy 187

cirrhosis, GH response in glucose tolerance test 175 disease, IGF-I synthesis and growth retardation 747 leptin and insulin in disease and transplantation (Rapid

leptin and insulin in disease and transplantation (Rapid communication) 401

Melatonin

effects on pituitary hormone secretion 31 effects of testosterone in hypogonadism (Letter) 670 Men.

calcium absorption in spinal osteoporosis 163 red cell IGF-I binding in 339 Menstrual cycle

abnormalities, and bone mass 169
Multiple endocrine neoplasia (MEN)
type 2A and sporadic phaeochromocytoma 195

Neuroendocrine tumours somatostatin responsiveness 303

Obesity

effects on secretion of ACTH and cortisol 603 IGFBP-1 in children 487 leptin production and insulin cleavage in 181 lipoprotein metabolism and 515

long-acting, in acromegaly 311

Octreotide

scintigraphy 303 somatostatin responsiveness of neuroendocrine tumours

suppression test 303

Oestrogen

selective receptor modulators (Commentary) 389

Osteoporosis

alendronate treatment in Cushing's disease 655 spinal, calcium absorption in men 163

Paraganglioma

hereditary extra-adrenal 13

Parathyroid

stored hormone in hysteretic PTH-calcium relationship 725

Parathyroid adenoma

functional evidence for two types 593

Parathyroid carcinoma

with familial primary hyperparathyroidism 67

Phaeochromocytoma

differences between sporadic and MEN 2A 195

Phenylketonuria

effect of diet on serum prolactin 99

Pituitary adenomas

body weight and 547

expression of orphan nuclear receptor DAX-1 647 retinoid X receptor expression (Letter) 527 SLE following adenomectomy (Letter) 669

Pituitary disease

assessment of HPA axis (Letter)124 employment rates and (Letter) 374

Pituitary function

effects of melatonin on hormone secretion 31 hormone secretion and bright light exposure 73 in post-menopausal women (Letter) 124 radiotherapy in pituitary-dependent Cushing's disease (Case report) 663

Pituitary tumours, non-functioning and radiotherapy 331

and retinoid X receptor expression 425

Plasma membrane transport

bioavailability of thyroid hormone (Review) 1

Polycystic ovarian syndrome

inhibins A and B during FSH therapy 577

Prader-Willi syndrome

GH response to GHRH and pyridostigmine 769

Pregnancy

determination of in utero foetal thyroid size 259, (Commentary) 9 IVF/ET, corticosteroid metabolism and 509

radioiodine treatment and 281

Prolactin

serum, effect of diet in phenylketonuria 99

Prolactinoma

body weight and 547 GH secretion in 103 hst protein in 23

Puberty

GH hypersecretion in diabetic adolescent girls 785 precocious (Case report) 367 precocious, heterozygosity of adrenal 21-OHD 555

Pyridostigmine

GH response in Prader-Willi syndrome 769

Quality of life

GH therapy in GHD 613

Radioiodine

hypothyroidism following therapy 17, (Letter) 526 subclinical hyperthryoidism and bone loss 285 TSBAb in hypothyroidism after 17 unsuspected pregnancy and 281

Radiotherapy

cranial, and GH status 777

for non-functioning pituitary tumours 331 pituitary-dependent Cushing's disease (Case report) 663

Renal failure, chronic see Uraemic patients

Retinoid X receptor expression 425

(Letter) 527

Riedel's thyroiditis

with hypothyroidism and hypoparathrodism (Case report) 815

Scintigraphy

octreotide 303

Septicaemia

follistatin in (Rapid communication) 413

Sex hormones

cross-sex hormones and bone metabolism 347 plasma leptin concentrations and 291 relation to age and IGF-I 471 see also Specific hormones

Somatostatin

long-acting, in acromegaly 311 responsiveness of neuroendocrine tumours 303

Steroids

biosynthesis, CAH carrier status and acne 209

Steroid sulphatase gene

in contiguous gene syndrome 713

Systemic lupus erythematosus

after pituitary adenomectomy (Letter) 669

Testosterone

effects on lipoprotein metabolism 187

effects on melatonin in hypogonadism (Letter) 670

β-Thalassaemia major

GHBP, IGF-I and IGFBP-3 in 641

Thymic carcinoid tumour

ectopic secretion of GHRH and ACTH (Case report) 243

Thyroid abscess

differential diagnosis (Case report) 521

Thyroid cancer

audit of management 419

medullary carcinoma, prognostic factors 265

Thyroid disease

autoimmune, association with hyperprolactinaemia 39

Thyroid function

association between hormones and IGF-I 361

determination of in utero thyroid size 259,

(Commentary) 9

effects of serum substances on hormone assays 739

plasma membrane transport of hormone (Review) 1

role in leptin production 299

size, and lean body mass 701

TPO autoantibodies in old age 803

TSBAb in hypothyroidism after radioiodine 17

TSH receptor antibody and 445

Thyroid tumours

epithelial, genetic alterations in (Clinical Molecular Endocrinology) 531

Thyroiditis

differential diagnosis (Case report) 521

with hypothyroidism and hypoparathrodism (Case

report) 815

TSH receptor antibody-associated thyroid dysfunction 445

Thyrotrophin

subclinical hyperthyroidism and bone loss 285

Thyroxine

association with IGF-I 361

bone mineral density and 229

combination therapy in Riedel's thyroiditis (Case report)

815

in treatment of Graves' disease 585

Tibolone

impact on body composition of women 691

Tolerance tests

diagnosis of GHD in adulthood 109

Transsexuals

cross-sex hormones and bone metabolism 347

TSH

receptor antibody-associated thyroid dysfunction 445 suppression with carbimazole in Graves' disease 635

Tuberculous Addison's disease 355

Ultrasonography

development of foetal thyroid 259

Uraemic patients

effects of serum substances on thyroid hormone assays

739

Urinary bone markers

in diabetes mellitus 317

Urinary cortisol

diagnosis of Cushing's syndrome 503

Whickham Survey cohort

hyperprolactinaemia in 39

Women

body composition with tibolone or HRT 691

bone mass and menstrual disturbances 169

CAH carriers in adults with acne 209

choice of HRT (Commentary) 683

inhibins A and B in PCOS 577

menopause, inhibins A and B, and FSH 809

obesity, ACTH and cortisol secretion 603

post-menopausal, pituitary dysfunction (Letter) 124

